



Safe + Simple + Swiss

The Original & Patented  
World Travel Adapters and USB Chargers

FAIR EDITION AUTUMN 2014

TO THE WORLD



# Safe + Simple + Swiss

SKROSS products give you the power to cross borders, cultures, countries, and all languages of electricity. SKROSS is your passport to stay connected when travelling to the Americas, Europe, Asia and beyond. SKROSS is the market leader for qualitative travel adapters and USB chargers. Our products are the world's safest and most compact travel companions.

The original and patented world travel adapters and USB chargers power all electronic devices in over 150 countries worldwide.

## **Safety**

All adapters and chargers from SKROSS are developed in accordance with all international relevant safety standards. This means travellers do not only get the most versatile product in regards of worldwide usability but also can be sure not to take any risks for their devices.

## **Simplicity**

Featuring its patented country-slider system, the world adapters and the World USB Charger allow to easily charge any device on all continents around the world, while staying incredibly compact and light. Inside the product housing the sliding country plugs are integrated in such a clever way that the product even fits into the palm of a hand.

## **Swissness**

SKROSS was founded in 2002 in Switzerland and from the very beginning, safety was top priority. The entire development process is taking place in Switzerland and the target is to create unique travel companions which, above all, comply with the stringent Swiss quality standards.

**Welcome to the world of SKROSS**



# World Travel Adapters (earthed)



## World Adapter PRO

For travellers from Europe (Schuko & 2-pole Euro) to more than 150 countries



### Specifications

- Input voltage: 100V - 250V
- Max. load: 10A
- Power rating: e.g. at 100V – 1000W / 250V – 2500W
- Integrated fuse
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole)

### Compatibility (on the socket side)



Australia, China    USA    UK    Italy    Switzerland



## World Adapter PRO USB

For travellers from Europe (Schuko & 2-pole Euro) to more than 150 countries; includes the Euro USB Charger



### Specifications

- Input voltage: 100V - 250V
- Max. load: 10A
- Power rating: e.g. at 100V – 1000W / 250V – 2500W
- Integrated fuse
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole)
- USB output: 5V / 2100mA shared

### Compatibility (on the socket side)



Australia, China    USA    UK    Italy    Switzerland



## World Adapter PRO+


For travellers from all over the world to more than 150 countries



### Specifications

- Input voltage: 100V - 250V
- Max. load: 10A
- Power rating: e.g. at 100V – 1000W / 250V – 2500W
- Integrated fuse
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole)

### Compatibility (on the socket side)



## World Adapter PRO+ USB


For travellers from all over the world to more than 150 countries; includes the Euro USB Charger



### Specifications

- Input voltage: 100V - 250V
- Max. load: 10A
- Power rating: e.g. at 100V – 1000W / 250V – 2500W
- Integrated fuse
- Suitable for equipment with earthed & unearthed plugs (2- & 3-pole)
- USB output: 5V / 2100mA shared

### Compatibility (on the socket side)



# World Travel Adapters (unearthed)



## World Adapter Classic

For travellers from all over the world to more than 150 countries



### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse
- Suitable for equipment with unearthed plugs (2-pole)

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro



## World Adapter Classic USB

For travellers from all over the world to more than 150 countries; includes a USB charger top



### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse
- Suitable for equipment with unearthed plugs (2-pole)
- USB output: 5V / 1000mA

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro



## World Adapter EVO

For travellers from all over the world to more than 150 countries



### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse; 2 spare fuses included
- Suitable for equipment with unearthed plugs (2-pole)

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro



## World Adapter EVO USB

For travellers from all over the world to more than 150 countries; includes a dual USB charger top



### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse; 2 spare fuses included
- Suitable for equipment with unearthed plugs (2-pole)
- USB output: 5V / 2100mA shared

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro

# World Travel Adapters (unearthed)



## World Adapter MUV USB

For travellers from all over the world to more than 150 countries with integrated dual USB charger



### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse
- Suitable for equipment with unearthed plugs (2-pole)
- USB output: 5V / 2100mA shared

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro



## Power Pack

Includes the SKROSS products World Adapter MUV USB & SOS Battery



### Specifications

Please refer to the appropriate products

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro





coming soon!

### World Adapter MUV Micro

For travellers from all over the world to more than 150 countries; outstanding compact



#### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse
- Suitable for equipment with unearthed plugs (2-pole)

#### Compatibility (on the socket side)



Australia, China

USA, Japan

UK

Euro



coming soon!

### World Adapter MUV Micro USB

For travellers from all over the world to more than 150 countries; includes the UK USB Charger



#### Specifications

- Input voltage: 100V – 250V
- Max. load: 2.5A
- Power rating: e.g. at 100V – 250W / 250V – 625W
- Integrated fuse
- Suitable for equipment with unearthed plugs (2-pole)
- USB output: 5V / 2100mA shared

#### Compatibility (on the socket side)



Australia, China

USA, Japan

UK

Euro

# Country Travel Adapters (earthed)

 **WORLD TO** a specific country – from more than 150 countries

 **World to  
Australia/China**



 **World to Italy**



 **World to UK**



 **World to USA**



 **India-Israel-Denmark  
to Europe**



-  India
-  Israel
-  Denmark

 **World to Europe**



**Compatibility (on the top side)**

-  Australia, China
-  USA, Japan
-  UK
-  Italy
-  Switzerland

 **EUROPE TO** a specific country

 **Europe to  
Australia/China**



 **Europe to  
Italy**



 **Europe to UK**



 **Europe to USA**



 **Europe to  
Switzerland**



**Compatibility (on the top side)**

-  Europe (Schuko)
-  Euro

## COMBO – WORLD TO a specific country & Europe



### Compatibility (on the top side)



Australia, China



USA, Japan



UK



Italy



Switzerland



Europe (Schuko)



Euro



**Specifications:** Input voltage and power rating depending on the selected version

# USB Chargers



## World USB Charger

Powerful dual USB charger useable in over 150 countries worldwide



### Specifications

- Input voltage: 100V - 250V
- USB output: 5V / 2100mA shared

### Compatibility (on the socket side)



Australia,  
China

USA,  
Japan

UK

Euro



## Euro USB Charger

Powerful dual USB charger for use at home and en route; Euro standard countries



### Specifications

- Input voltage: 100V - 250V
- USB output: 5V / 2100mA shared
- Compatible with all SKROSS adapters

### Compatibility (on the socket side)



Euro



coming soon!



### UK USB Charger

Powerful dual USB charger for use at home and en route; UK standard countries



#### Specifications

- Input voltage: 100V - 250V
- USB output: 5V / 2100mA shared
- Compatible with all SKROSS world adapters

#### Compatibility (on the socket side)



UK



coming soon!



### US USB Charger

Powerful dual USB charger for use at home and en route; US standard countries



#### Specifications

- Input voltage: 100V - 250V
- USB output: 5V / 2100mA shared
- Compatible with all SKROSS world adapters

#### Compatibility (on the socket side)



USA,  
Japan



### SOS Battery

Back up power source for most USB devices; modular with the World Adapter MUV USB



#### Specifications

- Suitable for portable USB devices like most smartphones, MP3 and MP4 players, game consoles, eBook readers, etc.
- Input voltage: 5V / 2100mA max.
- USB output: 5V / 1000mA max. (2100mA throughput)
- Battery: LiPo 1200mAh / 3.7V (no memory effect)
- Number of charge cycles: min. 300

# USB Chargers

**USB**  
2100 mA



## Midget USB Car Charger

Charges devices while on the ride



### Specifications

- Input voltage: 12V
- USB output: 5V / 2100mA

**2X**  
**USB**  
2000 mA



## Midget Dual USB Car Charger

Charges two devices while on the ride



### Specifications

- Input voltage: 12V
- USB output: 5V / max. 2x1000mA

**USB**  
2100 mA



## Midget<sup>PLUS</sup> Micro USB

Dual USB charging while on the ride



### Specifications

- Input voltage: 12V
- USB output: 5V / max. 2100mA shared
- Coiled cable with Micro USB Connector
- + 1 extra USB charge port

**USB**  
2000 mA



## Midget<sup>PLUS</sup> with Lightning Connector

Dual USB charging while on the ride



### Specifications

- Input voltage: 12V
- USB output: 5V / max. 2x1000mA
- Coiled cable with Lightning Connector
- + 1 extra USB charge port

Made for  
 iPod  iPhone

# USB Cables




## Charge'n Sync Micro USB

For all USB devices with  
Micro USB connector



### Specifications

- Cable length: 1 m
- Input voltage: 5V
- Output voltage: 5V
- Output current: max. 2.1A



## 2in1 Charge'n Sync Micro USB & Lightning Connector

For all USB devices with Micro USB  
or Lightning connector



### Specifications

- Cable length: 1 m
- Fully certified by Apple
- Input voltage: 5V
- Output voltage: 5V
- Output current: max. 2.1A (Micro USB)
- Output current: max. 2.4A (Lightning connector)

Made for

 iPod  iPhone  iPad



**SKROSS.COM**

WorldConnect AG

Werkstrasse 12a, 9444 Diepoldsau, Switzerland

T +41 71 7379760 F +41 71 7379770 [info@skross.com](mailto:info@skross.com)

 /SKROSSpower